

A Modeling Approach for Getting to Win-Win in Industrial Collaboration under Strategic Coopetition

Vik Pant^{1*} and Eric Yu^{1,2}

¹Faculty of Information, University of Toronto, 140 St George St,
Toronto, Canada

²Department of Computer Science, University of Toronto, 214 College
St, Toronto, Canada

vik.pant@mail.utoronto.ca, eric.yu@utoronto.ca

Abstract. Interorganizational coopetition describes a relationship in which two or more organizations cooperate and compete simultaneously. Actors under coopetition cooperate to achieve collective objectives and compete to maximize their individual benefits. Such relationships are based on the logic of win-win strategies that necessitate decision-makers in competing organizations to develop relationships that yield favorable outcomes for each actor. We follow a strategic modeling approach that combines *i** goal-modeling to explore strategic alternatives of actors with Game Tree decision-modeling to evaluate the actions and payoffs of those players. In this article, we elaborate on the method, illustrating one particular pathway towards a positive-sum outcome – through the introduction of an intermediary actor. This article demonstrates the activation of one component in this guided approach of systematically searching for alternatives to generate a new win-win strategy. We also present a meta-model for relating *i** models and Game Trees. A hypothetical industrial scenario focusing on the Industrial Data Space, which is a platform that can help organizations to overcome obstacles to data sharing in a cooperative ecosystem, is used to explain this approach.

Keywords: Coopetition, Win-Win, Design, Modeling.

1 Introduction

Coopetition refers to concomitant cooperation and competition among actors wherein actors “cooperate to grow the pie and compete to split it up” [1]. Actors under coopetition simultaneously manage interest structures that are partially congruent and partially divergent [2]. Partial congruence emerges from actors sharing in certain common objectives while partial divergence emanates from each actor’s pursuit of self-interest. Coopetition has become

* Corresponding author

© 2019 Vik Pant et al. This is an open access article licensed under the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>).

Reference: V. Pant and E. Yu, “A Modeling Approach for Getting to Win-Win in Industrial Collaboration under Strategic Coopetition,” *Complex Systems Informatics and Modeling Quarterly*, CSIMQ, no. 19, pp. 19–41, 2019. Available: <https://doi.org/10.7250/csimq.2019-19.02>

Additional information. PII S225599221900110X. Received: 2 April 2019. Accepted: 27 May 2019. Available online: 19 July 2019.

“increasingly popular in recent years” [3] and is widely observed in various domains including business, politics, and diplomacy [4].

Coopetition is predicated on the rationale of positive-sum outcomes through which all actors are better off by coopeting rather than by purely competing or solely cooperating. This aspect of coopetition requires decision-makers in coopeting organizations to develop and analyze win-win strategies. We apply a synergistic approach that combines i^* goal-modeling with Game Tree decision-modeling to generate and discriminate win-win strategies in a structured and systematic manner. In [5], we illustrated a win-win scenario arrived at by generating a new alternative for achieving a *goal*, using the means-ends reasoning supported by i^* goal-modeling. In [6], we illustrated a different pathway to get to win-win by introducing a new *actor* within an existing relationship between two *actors*. This article extends and elaborates our previous work [5], [6]. In this article, we formalize the semantic relationship between the modeling languages utilized in [5], [6] by proposing a metamodel to link them. We use a hypothetical industrial scenario adapted from practitioner and scholarly literatures to explain this approach.

Coopetition research originated in the field of economics where researchers applied concepts from game theory to explain the motivations of coopeting actors [7]. According to game theory, three types of results are possible in strategic relationships between players: positive-sum, zero-sum, and negative-sum [8]. In positive-sum outcomes all players are better off and in negative-sum outcomes all players are worse off [8]. In zero-sum outcomes the amount of gain by some players equals the amount of loss by other players.

These outcomes are correlated to distinct types of strategies that are adopted by players in cooperative relationships: win-win, win-lose, and lose-lose. Win-win strategies are the only durable options for sustaining cooperative relationships. Win-lose strategies are unsustainable in cooperative relationships because some actors (i.e. those that are disadvantaged) will be worse off as a result and these actors are likely to withdraw from or abandon such relationships.

2 Motivating Example: Interorganizational Knowledge-sharing in Pharmaceutical Industry

Drug discovery and biopharmaceutical development is characterized by long innovation cycles and high capital requirements. Pharmaceutical companies share knowledge with each other to accelerate “product development processes”, “reduce costs”, and increase “development productivity” [9]. Cooperative relationships within research and development (R&D) alliances in the pharmaceutical industry are described in [9]. The complexity of interorganizational knowledge-sharing in the pharmaceutical industry is discussed in [10], [11].

Knowledge-sharing can expose members of R&D alliances to the risk of knowledge expropriation through knowledge leakage [10], [11]. This is because R&D alliances can be among firms that are competitors in the marketplace. Such firms are coopetitors because they cooperate in the R&D domain but compete for customers in the marketplace. Knowledge leakage occurs when a “focal firm's private knowledge is intentionally appropriated by or unintentionally transferred to partners beyond the scope of the alliance agreement” [12]. Knowledge expropriation is an opportunistic behavior [13], [14] that is motivated by the desire of firms to engage in ‘learning races’ [15], [16] to ‘learn faster’ [17], [18] than each other in the pursuit of ‘competitive advantage’ [19], [20]. Knowledge management researchers refer to this phenomenon as ‘boundary paradox’ and ‘learning paradox’ [21].

The potential for knowledge expropriation through knowledge leakage implies that simple knowledge-sharing under cooperation can lead to win-lose or lose-lose outcomes. In such a scenario, no immediate solutions might exist for the firms under coopetition to get to positive-sum outcomes. Subject matter experts (SMEs) and domain specialists in such firms might contemplate different pathways for generating win-win strategies. For instance, one option might be for coopeting firms to engage other *actors*, illustrated in Section 5 in this article, into their relationship to help reduce opportunities for exploitation. Another option might be for coopeting

firms to jointly develop and operate knowledge-sharing systems in-house that mitigate the risks of knowledge misappropriation. Yet another option might be for the *actors* to change their motivations to disincentivize opportunistic behavior through rewards and penalties.

The pathway selected by SMEs in coopeting firms will depend on the specifics of their firms as well as their relationships. In the real-world, the process of generating and discriminating among such options is complex and nontrivial due to two main reasons [22]. First, the decision space of each *actor* is constrained or enlarged by interdependencies with potential actions of other *actors*. Second, trade-offs between multiple competing objectives lead to different prioritization of alternatives by each *actor* due to the unique preference structure of that *actor*.

In the next section we detail an ontology and a methodology for generating new win-win strategies in inter-organizational relationships. In Section 4 and Section 5, we offer a catalog of objectives and options pertaining to inter-organizational knowledge sharing. These artefacts are complementary to the creativity and imagination of SMEs and domain specialists for identifying and generating win-win strategies. Therefore, SMEs and domain specialists can use these artefacts to search the solution space as well as synthesize new alternatives and options in it.

3 A Framework with i^* and Game Trees for Modeling Win-Win Strategies

In this article, we illustrate the use of a mediating *actor* to get to win-win by applying the modeling approach that is depicted in Figure 1. This process interleaves steps from i^* and Game Tree modeling in an incremental and iterative manner. It is useful for co-developing complementary models that jointly offer greater explainability, interpretability, and transparency than either can individually. Figure 2 presents a UML class diagram that depicts relevant modeling concepts from i^* and Game Trees in terms of their semantics and relationships. The methodology, in Figure 1, and metamodel, in Figure 2, are needed jointly for discriminating and generating win-win strategies in a systematic and structured manner.

i^* (denoting distributed intentionality) is a *goal-* and *actor-*oriented modeling language that supports strategic reasoning. The semantics and notation of i^* are explained in [8]. Game Trees are decision trees that support representation of decisions and *payoffs* associated with *actors* in a *game*. They are typically visualized as directed acyclic labeled tree graphs. In Game Theory, a *game* refers to any social situation in which two or more *players* are involved. A *player* is an active participant in a strategic relationship with one or more *players*. A *payoff* is the *reward* (positive) or *penalty* (negative) associated with a specific course of action. A course of action is a sequence of decisions and actions undertaken by the *players* in a *game*. Solving a game refers to selecting a *reward* maximizing or *penalty* minimizing strategy for one or more *players*.

A *player* takes *decisions* and makes *moves* to optimize its *payoff* (e.g. by maximizing reward or minimizing penalty). A *player* has none or many *options* and an *option* is available to one *player*. The *player* compares its *options* and takes a *decision*. A *player* may take none or many *decisions* while a *decision* is taken by one *player*. The *player* makes a move that *operationalizes* its *decision*. A *player* may make none or many *moves* while a *move* is made by one *player*. A *move* determines the *payoff* received by a *player*. A *player* receives one or more *payoffs* while a *payoff* is received by one *player*. The characteristics and features of Game Trees are described in [23].

In Figure 2, entities from i^* and Game Tree are separated by labeled boundaries. This helps to show i^* and Game Tree segments in the metamodel clearly and in a self-contained manner. Relationships that cross these boundaries depict semantics that are necessary for linking relevant i^* and Game Tree entities. We follow original i^* concepts [8] but include them here for the win-win method to be self-contained. Game Tree concepts from [23] are included to develop the Game Tree segment because a search of the literature did not yield a Game Tree metamodel.




Figure 1. Process steps for alternating between *i** and Game Tree modeling to get to win-win (Introduction of new **actor** is highlighted in **bold**, *softgoal* and *tasks* in *italics*)




Figure 2. Metamodel for relating *i** and Game Tree modeling

In earlier work [5], [22] we argued that even though Game Trees supported the expression of *payoffs* they did not explicitly portray the reasons for those *payoffs*. The *payoffs* in Game Trees, typically represented as scalar values, are assumed to encode the rationale for their calculation but do not reveal that rationale overtly. This signifies a perceived limitation of Game Trees in terms of their explainability, interpretability, and transparency. We had demonstrated that the *payoffs* in Game Trees could be derived from the internal intentional structures of *actors* in *i**

Strategic Rationale (SR) diagrams [5], [22]. This allowed us to document the reasoning behind the calculation of *payoffs* in Game Trees by linking Game Trees with *i** SR diagrams.

In [22] we had proposed a process for co-developing Game Tree and its complementary *i** SR diagram. In [5], [6] we refined and elaborated this process as well as tested it by applying it to case examples of competition. In [5] we demonstrated one pathway for getting to win-win which was by generating additional alternatives for achieving *goals* of some *actor*. In [6] we demonstrated a different pathway for getting to win-win which was by adding another *actor* in the relationship among existing *actors*. In this article, we propose a metamodel for linking Game Tree with *i** to formalize the semantic relationship between these modeling languages.

The process depicted in Figure 1 comprises three phases: Modeling, Evaluation, and Exploration. In the Modeling phase, an *i** SR [8] diagram and its corresponding Game Tree are instantiated and populated. In the Evaluation phase, impacts of extant choices on objectives are calculated to detect any win-win strategies. In the Exploration phase, a systematic search is performed to generate new alternatives that yield positive-sum outcomes. In the real world, SMEs and domain specialists are expected to supplement their creativity and imagination with this process to synthesize insights from encoded knowledge (e.g. catalog in Section 4 and Section 5). This process can be repeated to generate as many win-win strategies as needed by decision-makers.

3.1 Modeling Phase

In this phase, strategic relationships among *actors* are modeled in terms of *goals*, *tasks*, *resources*, *softgoals*, and *dependencies* among them that are denoted in an *i** SR diagram. The sequence of decisions and *payoffs* of these *players* are codified in a Game Tree. An *actor* is an active entity that performs actions by applying its know-how to accomplish its *goals*. Two kinds of *actors* are distinguished here, based on their manifestation in the world. A *role* is an abstract *actor* while an *agent* is a concrete *actor*. An *agent* can *play* none or many *roles* while a *role* can be *played by* none or many *agents*. An actor in *i** represents a *player* in a Game Tree while a *player* in a *Game Tree* serves as an *actor* in *i**. A *goal* is a state of affairs in the world that an *actor* wishes to achieve. An *actor* *wants* to achieve or satisfy none or many *goals* and none or many *goals* are *wanted by* an actor. None or many *goals* in *i** *determine* the *payoff* in a Game Tree.

Task is a concrete method for addressing a *goal* and satisfying some quality requirements (i.e., *softgoals*). In *i**, *softgoals* denote quality objectives that do not have clear-cut satisfaction criteria. They are evaluated as being satisfied or denied from the subjective perspective of an *actor*. None or many *softgoals* in *i** *influence* the *payoff* in a Game Tree. Furthermore, the *priority* of a *softgoal* in *i** impacts its *influence* on the *payoff* in the Game Tree.

Softgoals can be analyzed in terms of type and topic wherein type denotes the quality that is desired while topic denotes the intended behavior or structure that should encompass a desired quality [24]. Type and topic are depicted in Table 1, Table 2, Table 3, and Table 4 as well as Figure 3, Figure 4, Figure 5, and Figure 6 in the form of Type [Topic]. An *actor* *wants* to achieve or satisfy none or many *softgoals* and none or many *softgoals* are *wanted by* an actor.

A *task* is an activity that can be used to accomplish a *goal*. The relationship between a *goal* and its associated *tasks* is shown via *means-ends* links. A *goal* (the “end”) is achieved when any of its associated *tasks* (the “means”) are completed. An *end* may be associated with none or many *means* and a *means* may be related to none or one *end*. An *option* in a Game Tree *represents* a *task* in *i** while none or one *task* in *i** serves as an *option* in a Game Tree.

A *task* can be decomposed into subsidiary *goals*, *tasks*, *softgoals*, and *resources*. A *resource* is a physical or informational entity that is necessary for completing a *task*. The relationship between a task and its subsidiary entities is depicted via a *task-decomposition* link. A *task* may be *comprised* of none or many parts and this is portrayed using none or many *task-decomposition*

links. A *task-decomposition link* may be related to one *task*. A *task-decomposition* may comprise none or one *task*, *goal*, *softgoal*, or *resource*. Similarly, any *task*, *goal*, *softgoal*, or *resource* may be a *part-of* none or one *task-decomposition*.

In i^* , *actors* are associated with each other using *dependency links* whereby a *depender* depends on a *dependee* for a *dependum*. A *depender* and *dependee* are *actors* wherein an *actor* can be none or many *dependees* and an *actor* can also be none or many *dependers*. A *dependum* can be a *goal* to be achieved, *task* to be completed, *softgoal* to be satisfied, or *resource* to be obtained. Similarly, a *goal*, *task*, *softgoal*, or *resource* can be associated with none or many *dependency links*.

Contribution links (see Figure 3) relate *tasks* to *softgoals* and *softgoals* to other *softgoals*. *Contribution links* can be of type *Help* (denoted by a green line accompanied with a plus symbol) or *Hurt* (denoted by a red line accompanied with a minus symbol). A *Help contribution link* contributes positively towards the achievement of a *softgoal*. A *Hurt contribution link* contributes negatively towards the achievement of a *softgoal*. Contributions can be intentional (denoted by a solid line) or incidental (denoted by a dashed line). A *task* may *contribute to* none or many *softgoals* and none or many *tasks* may *contribute to* a *softgoal*. A *softgoal* may *contribute to* none or many *softgoals* and none or many *softgoals* may contribute to a *softgoal*. Further details about i^* modeling can be found in [8].

3.2 Evaluation Phase

In this phase, *Contribution links* are used to propagate and trace the impact of relatively lower-level *tasks* and *softgoals* on higher-level *softgoals*. *Softgoals* can either be fully satisfied (denoted by a checkmark) or partially satisfied (denoted by a dot underneath a checkmark). Conversely, *softgoals* can either be fully denied (denoted by a cross) or partially denied (denoted by a dot underneath a cross).

Forward propagation of labels can be used to answer ‘is this solution viable’ type of questions. The process for forward propagation of satisfaction labels in goal models is explained in [25]. This process involves the iterative application of propagation rules to attach current values from each offspring to its parent and then resolving *softgoal* labels at the parent level [25]. We apply the rules for satisfaction analysis in goal models that are explained in [26] in the Evaluation phase.

4 As-Is Scenario: Discriminating Win-Win Strategies with i^* and Game Trees

We now illustrate the application of the method using the pharmaceutical industry example outlined in Section 2.

4.1 Modeling Phase

Figure 3 presents a goal model of an As-Is knowledge-sharing scenario between firms under cooptation. This goal model focuses on interdependencies among *softgoals*, and *tasks* that operationalize those *softgoals* while deferring consideration of relationships among actors. In this goal model, the nodes are *softgoals* or *tasks* while the edges are *contribution links*. Table 1 and Table 2 expand on the meanings of these *softgoals* and *tasks*.

In this industry scenario, a firm has two top-level *softgoals* which are No Leakage of knowledge assets and No Blocking of knowledge transfers. No Leakage of knowledge assets is a *softgoal* because separate firms may judge the presence or absence of knowledge leakage differently. Similarly, No Blocking of knowledge transfers is another *softgoal* because different firms may use dissimilar criteria to determine whether knowledge-sharing is being blocked.

A firm can adopt a Strict knowledge-sharing policy or a Permissive knowledge-sharing policy. A Strict policy prioritizes minimization of knowledge-leakage over circumvention of knowledge-blocking. Conversely, a Permissive policy treats avoidance of knowledge-blocking with greater importance than prevention of knowledge-leakage. In the knowledge sharing setting considered here, the same goal model applies equally to all sharing parties. In other settings, a separate goal model may be needed to represent the perspective of each *actor*.

Table 1. *Softgoal* types and topics in As-Is scenario in Figure 3

<u>Softgoal Type [Topic]</u>	<u>Description of softgoal</u>
No Leakage [Knowledge Assets]	Assets should not be misappropriated by partners. [10], [11]
No Blocking [Knowledge Transfers]	Transfers should be seamless and frictionless. [27], [28]
Synergetic [Knowledge Assets]	Assets should be more valuable jointly than individually. [29], [30]
Leveragability [Knowledge Assets]	Assets should be useful and usable to generate benefits. [29], [30]
No Negative Cross Impact [A. Val.]	Sharing with partner should not reduce value of asset for self. [29], [30]
Interdependence [Bus. Partners]	Sharing should take place among co-dependent partners. [30]
Complementarity [Partner Assets]	Partner assets should enhance each others asset value. [31]
Transferability [Knowledge Assets]	Assets should be distributable to partners. [32]
Appropriability [Knowledge Assets]	Assets should be receivable by partners. [14]
Irreducible [Asset Value]	Benefits from asset should be indestructible and renewable. [33]
Protectable [Knowledge Assets]	Assets should be containable and isolatable. [34]
Mutuality [Partner Assets]	Sharing should encompass assets that are inter-reliant. [35]
Annotatable [Asset Ownership]	Identity of the owner of each asset should be discernible. [21]
Combinable [Partner Assets]	Assets should be integrable with other assets. [36]
Compatible [Knowledge Assets]	Assets should function normally in conjunction with other assets. [37]
Available [Partner Assets]	Assets should be easily reachable when needed. [38]
Absorbable [Partner Assets]	Assets should be easily consumable when needed. [14]
Dynamic [Knowledge Assets]	Content and functionality of asset should be changeable. [33]
Concealable [Asset Content]	Asset contents should be capable of being hidden from partners. [21]
Licensable [Knowledge Assets]	Assets should support deactivation and decommissioning. [39]

Softgoals are operationalized by *tasks* (bottom of Figure 3). For instance, Processing involves generating machine-readable metadata for each knowledge asset. This makes it easier to distinguish among individual knowledge assets such as based on their ownership. Therefore, Processing is a *task* that operationalizes the *softgoal* Annotatable asset ownership. Similarly, Integrating involves mixing together knowledge assets from various partners. This makes it simpler for each firm to avail of the knowledge of their partners. Therefore, Integrating operationalizes the *softgoal* Available partner assets.

In this example, we use the notation wherein the inclusion of a *task* in a Strict or Permissive policy is inscribed within each *task*. A circle inscribed with an S and a numerical identifier in the top left corner of a *task* denotes the inclusion of that *task* in a Strict policy. A square inscribed with a P and a numerical identifier in the top right corner denotes the inclusion of that *task* in a Permissive policy. For instance, Auditing of knowledge transfers is a part of a Strict policy and Integrating of partner assets is a part of a Permissive policy.

A *task* can also be included simultaneously in Strict and Permissive policies while being implemented differently in each policy type. For instance, Modularizing the boundary of a knowledge asset is part of both Permissive as well as Strict policies even though modularization may be implemented differently in Strict and Permissive policies. It should be noted that these inscriptions (i.e. S with identifier in circle on top left of *task* and P with identifier in circle on top right of *task*) are specific to this example.

Table 2. Task types and topics in As-Is scenario in Figure 3

<u>Task Type [Topic]</u>	<u>Policy</u>	<u>Description of task</u>
Auditing [Knowledge Transfers]	S	Reviewing actions performed by users and processes. [21]
Processing [Asset Metadata]	S	Generating machine-readable metadata for each asset. [40]
Exposing [Asset Interface]	P	Registering input and output parameters of an asset. [41]
Documenting [Asset Schema]	P	Explaining types of entities and relationships in an asset. [32]
Integrating [Partner Assets]	P	Commingling content from disparate partner assets. [42]
Publishing [Asset Directory]	P	Advertising sharing of an asset via a repository. [41]
Modifying [Asset Behavior]	S	Reprogramming the content and functionality of an asset. [43]
Modularizing [Asset Boundary]	S, P	Setting perimeter of each asset specifying its scope. [44]
Reconfiguring [Kwnldg. Assets]	S	Asset should be amenable to packaging in many ways. [45]






Figure 3. Goal model of As-Is scenario representing knowledge sharing goals and potential tasks, synthesized from sources listed in Table 1 and Table 2

Goal models aid in detecting and analyzing tradeoffs that exist among different *softgoals*. The goal model in Figure 3 shows that various *tasks* impact *softgoals* differently. For instance, Posting a knowledge asset into an asset directory *Helps* to make that knowledge asset more Combinable (i.e. easier to integrate) with other knowledge assets. Conversely, Modifying the behavior of a knowledge asset can make it less Compatible with knowledge assets with which it is already interoperable (i.e. *Hurts* link).

Specific combinations of *tasks* within a Strict or Permissive policy can also impact softgoals differently. For instance, Auditing is a *task* that is part of a Strict policy and operationalizes the *softgoal* Mutuality of partner assets. It also *Helps* the *softgoal* Licensable knowledge assets. Similarly, Reconfiguring of knowledge assets is a *task* that is also part of a Strict policy and operationalizes the *softgoal* Licensable knowledge assets. This *softgoal* Licensable knowledge assets is considered as satisfied in a Strict policy since multiple *tasks* that are part of a Strict policy make positive contributions to it. Conversely, the *softgoal* Dynamic knowledge assets is only partially satisfied in a Strict policy due to the conflicting interaction of two *tasks* which are part of a Strict policy. These are Modifying asset behaviour and Processing asset metadata. While Modifying asset behavior operationalizes the *softgoal* Dynamic knowledge assets this *softgoal* is *Hurt* by Processing asset metadata.



(i) *i** SR diagram showing strategic goals of the two competing actors



(ii) Game Tree showing payoffs from possible moves by BPC followed by GPC moves

Figure 4. As-Is scenario

In the real world, each actor assesses such trade-offs between *softgoals* in line with its preferences and prioritizes those *softgoals* differently depending on its proclivities. The goal model in Figure 3 is instantiated in Figure 4 to demonstrate this with respect to two *actors* in a cooperative relationship. Figure 4 depicts co-developed i^* SR diagram and Game Tree of the As-Is scenario pertaining to two business partners in the pharmaceutical industry.

In this i^* diagram, Branded Pharmaceutical Company (BPC) and Generic Pharmaceutical Compounder (GPC) are two *actors*. BPC develops and markets prescription medicines based on its R&D initiatives as well as its protected intellectual property (IP) (not shown[†]). GPC manufactures ingredients that are used in BPC's medicines and produces medicines for BPC that BPC sells in the market (not shown[†]). GPC also sells generic medicines that are analogous to the prescription medicines sold by BPC only if their IP is not protected (not shown[†]). In this hypothetical example, the *goal* structures of both actors appear to be identical but their *softgoals* have different priorities. This is done to demonstrate the impact of *softgoals'* priorities on the calculation of *payoffs* when *actors* have seemingly identical *goal* configurations but dissimilar *softgoal* priorities.

These two *actors* depend on each other to meet their respective *goals* pertaining to Know-how be Gained. GPC depends on Market Forecasts of BPC (shown) so that *GPC* can approximate the upcoming requirements of BPC (not shown[†]). This helps *GPC* to plan its production runs based on medicines that *BPC* will likely contract *GPC* to produce (not shown[†]). BPC depends on the Production Traces of GPC (shown) to verify that GPC is only manufacturing those quantities of ingredients of BPC's high margin medicines that are ordered by BPC (not shown[†]). This helps BPC to verify that GPC is not manufacturing extra quantities of those ingredients to produce substitute medicines that GPC can sell by itself (not shown[†]).

Dependencies among BPC and GPC are shown as *softgoals* because each is satisfied from the perspective of the *dependor*. Both *actors* can achieve their respective *goals* of Know-how be Gained by performing the *task* Share Knowledge. Knowledge sharing Policy be adopted is a *sub-goal* of this *task* Share Knowledge. This *sub-goal* is associated with two *tasks* which pertain to the adoption of either a Strict or a Permissive knowledge sharing policy. The *tasks* labeled Strict Policy and Permissive Policy for knowledge sharing in Figure 4 map to the set of *tasks* in Figure 3 with the inscriptions of S and P respectively. This is shown in Figure 4 via the decomposition of two *tasks*, which are Strict Policy and Permissive Policy, into their respective sub-tasks, which are denoted by $P_1...P_n$ and $S_1...S_n$. Contributions from the *tasks* labeled Strict Policy and Permissive Policy to *softgoals* labeled Synergetic knowledge assets, Leverageability of knowledge assets, and No negative-cross impact of asset value are depicted indirectly via a partially dotted *contribution link*. This is done to hide the full intentional structure in the i^* SR diagram since the complete goal model in Figure 3 contains these details.

Potential benefits from knowledge sharing serve as incentives for BPC and GPC to adopt Permissive policies. However, the countervailing threat of opportunism serve as motivations for BPC and GPC to adopt Strict policies. Since BPC and GPC are autonomous *actors*, they are free to select either Permissive or Strict policy in line with their preferences and proclivities. In this example, as shown in Figure 4, BPC prioritizes a Strict policy over a Permissive policy while GPC prioritizes a Permissive policy over a Strict policy. The selection of one policy over another in the real-world is likely to be the result of deliberation and contemplation by subject matter experts (SMEs) and domain specialists. This modeling approach complements and supplements their reasoning and analysis rather than substitute or obviate it.

[†]In this instance, and in the remainder of this article, certain aspects of the relationship between actors are not shown in order to simplify the visual presentation of the models.

4.2 Evaluation Phase

In the Evaluation phase, *payoffs* in the Game Tree are estimated by analyzing *softgoal* satisfaction in the i^* SR diagram. A preliminary analysis of *softgoal* satisfaction in the goal model in Figure 3 reveals that neither Strict nor Permissive knowledge-sharing policies satisfy all top-level *softgoals* in the As-Is scenario. The i^* SR diagram in Figure 4 shows that neither BPC nor GPC satisfy every *softgoal* through their chosen policies. For instance, BPC is not able to satisfy one of its top-level *softgoals* of No Blocking of knowledge transfers by choosing a Strict policy while GPC is not able to satisfy one of its top-level *softgoals* of No Leakage of knowledge assets by choosing a Permissive policy. The i^* SR diagram in Figure 4 can be used to calculate the relative *payoffs* for these *players* in the Game Tree.

On the Game Tree, in the first case, BPC and GPC select Permissive policies. Since GPC prioritizes a top-level *softgoal* that is satisfied when this type of policy is chosen then it earns a *payoff* of 1. However, BPC prioritizes a top-level *softgoal* that is denied when this policy is chosen then it earns a *payoff* of -1. In the second case, BPC selects a Permissive policy but GPC selects a Strict policy. In this case neither BPC nor GPC achieve their higher priority top-level *softgoals* and thus both earn payoffs of -1. In the third case, BPC selects a Strict policy but GPC selects a Permissive policy. In this case while both BPC and GPC satisfy their higher priority top-level *softgoals* they do not satisfy some of their, albeit lower priority, *softgoals*. Thus, both earn payoffs of 0. In the fourth case, BPC and GPC select Strict policies. Since BPC prioritizes a top-level *softgoal* that is satisfied when this type of policy is chosen then it earns a *payoff* of 1. However, GPC prioritizes a top-level *softgoal* that is denied when this type of policy is chosen then it earns a *payoff* of -1.

These *payoffs* in the Game Tree can be used to detect the presence of any positive-sum outcomes. In the As-Is scenario, there are no win-win strategies since neither Permissive nor Strict policies allow BPC and GPC to satisfy each of their top level *softgoals*. This motivates their systematic search for new alternatives to generate positive-sum outcomes.

5 To-Be Scenario: Generating Win-Win Strategies with i^* and Game Trees

In Section 4.1 and Section 4.2 we discussed the As-Is configuration of the knowledge sharing relationship between BPC and GPC from modeling and evaluation perspectives respectively. The evaluation phase shows that there are no win-win strategies available to BPC and GPC in the As-Is configuration.

In this section we discuss the exploration and generation of new win-win strategies by BPC and GPC with the support of modeling. These new strategies are predicated on the creation of additional quality objectives as well as new methods for addressing those requirements. Realization of these methods for satisfying new quality requirements necessitates the introduction of an intermediary *actor* in the relationship between BPC and GPC. Through modeling, we demonstrate the development of win-win strategies for BPC and GPC in the To-Be configuration.

5.1 Exploration Phase:

In the Exploration phase, an SME can pursue any of five non-deterministic lines of action incrementally and iteratively. As depicted in Figure 1, they can add/remove some *actor*, generate additional alternatives for achieving *goals* of some *actor*, generate a change in relationships among some *actors*, generate a change in *softgoals* of some *actor*, or generate a change in some *actor's goals*. For example, as shown in the goal model in Figure 5, new *softgoals* and *tasks* can be introduced that favorably impact (i.e. *Help*) top-level *softgoals*. These new *softgoals* and *tasks* can be used to satisfy previously denied top-level *softgoals*.

Figure 5 is a goal model of a hypothetical To-Be knowledge-sharing scenario between businesses under competition. Model elements, from the As-Is scenario in Figure 3, that are unimpacted by new *softgoals* and *tasks* in Figure 5 are greyed-out. This improves the presentation of the goal model to highlight the To-Be scenario. New *softgoals* and *tasks* in Figure 5 are shown in blue color while existing *softgoals* that are impacted by new *softgoals* and *tasks* are shown in black color. New *contribution links* are shown in green (Help) and red (Hurt) colors while existing contribution links are greyed-out. We anticipate that, with tool support in the future, one would be able to collapse or expand portions of the model to hide or reveal details as necessary.

Loops in the process depicted in Figure 1 indicate that any step in the Exploration phase of this modeling approach can trigger other steps. For example, in the pursuit of a win-win strategy, an SME may decide to generate new *tasks* to improve overall satisfaction of top-level *softgoals*. These new *tasks*, depicted in Figure 5, may trigger the generation of new *softgoals*. Collectively, these additional tasks and softgoals represent new system requirements that expand the set of existing system requirements depicted in Figure 3.

Table 3 and Table 4 describe these new *softgoals* and *tasks* along with their sources. A comparison of the As-Is and To-Be scenarios reveals a contrast between the *softgoals* and *tasks* in these scenarios. Each of the *softgoals* (Table 1) and *tasks* (Table 2) in the As-Is scenario can be achieved by BPC and GPC without requiring support from any other actor. However, certain *softgoals* (Table 3) and *tasks* (Table 4) in the To-Be scenario cannot be satisfied by BPC and GPC alone. These *softgoals* and *tasks* in the To-Be scenario necessitate the involvement of an intermediary *actor* in the relationship between BPC and GPC.

For example, the *softgoal* Compliant knowledge assets requires format of knowledge assets to be consistent with third-party specifications. This means that an intermediary *actor* that publishes specifications as well as certifies compliance of knowledge assets with those specifications is required. Similarly, the *task* External Tracking of knowledge transfers entails surveilling content in inter-partner transfers and such tracking is performed by an intermediary *actor* that is external to BPC as well as GPC. The task Certifying of the asset specification involves attesting system specification by standards organization and here the standards organization represents an *actor* that is neither BPC nor GPC.

5.2 Evaluation Phase

The i^* SR diagram in Figure 6 can be used to calculate the relative *payoffs* for the *players* in the Game Tree. In the first case, BPC and GPC select Permissive policies. Since all top-level *softgoals* of GPC are satisfied and it acts in accordance with its preference (i.e. adopts Permissive policy) then it earns a *payoff* of 2. Each top-level *softgoal* of BPC is also satisfied in this case but since it does not act in line with its preference (i.e. does not adopt Strict policy) then it earns a *payoff* of 1. In the second case, BPC selects a Permissive policy but GPC selects a Strict policy. In this case both BPC nor GPC achieve their higher priority top-level *softgoals* but neither acts according to their preferences and thus both earn payoffs of 1. In the third case, BPC selects a Strict policy but GPC selects a Permissive policy. In this case both BPC and GPC satisfy each of their higher priority top-level *softgoals* and act according to their preferences. Therefore, both earn payoffs of 2. In the fourth case, BPC and GPC select Strict policies. Since all top-level *softgoals* of BPC are satisfied and it acts in accordance with its preference (i.e. adopts Strict policy) then it earns a *payoff* of 2. Each top-level *softgoal* of GPC is also satisfied in this case but it does not act in line with its preferences (i.e. does not adopt Permissive policy) so it earns a *payoff* of 1.




Figure 5. Goal model of To-Be scenario representing knowledge sharing goals and potential tasks, synthesized from sources listed in Table 1, Table 2, Table 3, and Table 4

Table 3. Softgoal types and topics and topics in To-Be scenario in Figure 5

<u>Softgoal Type [Topic]</u>	<u>Description of softgoal</u>
Balanced [Asset Sharing]	Quantity of contents transferred must be equal among partners [46].
Reportable [Asset Sharing]	Quantity and quality of contents transferred must be auditable [47].
Compliant [Knowledge Assets]	Format of assets must be consistent with third-party specifications [48].
Redundant [Knowledge Assets]	Copies of assets must be stored for safeguarding [49].


Table 4. Task types and topics in To-Be scenario in Figure 5

<u>Task Type [Topic]</u>	<u>Policy</u>	<u>Description of task</u>
Metering [Knowledge Transfers]	S	Measuring quantity of inter-partner transfers [50].
External Tracking [Knowledge Transfers]	P	Surveilling content in inter-partner transfers [51].
Canonical Template [Knowledge Model]	S	Establishing uniform format to be used by partners [52].
Certifying [Asset Specification]	P	Attesting system specification by standards organization [53].
Replicating [Knowledge Assets]	S, P	Creating multiple copies of asset [54].


The i^* SR diagram of the To-Be scenario shows that all the top-level *softgoals* of BPC and GPC are satisfied. This is due to their addition of new *softgoals* and *tasks* as well as the introduction of a new *actor*, which is Industrial Data Space (IDS). IDS is a data-sharing initiative for industry and academic organizations [55]. IDS provides an architecture, blueprint, standard, and platform for data-sharing among member organizations in a reliable, transparent, compliant, and accountable manner [56]. IDS functions as an intermediary *actor* that enables member organizations to share knowledge in a fair and seamless manner by enabling the formation and enforcement of data-sharing commitments and obligations [57].

IDS affords its member organizations with an alternative to ad-hoc data-sharing arrangements. Ad-hoc data-sharing can expose partners to various risks including loss of competence and leakage of technology [58]. To mitigate such risks, organizations can utilize mechanisms to monitor, regulate, and secure data transfers across organizational boundaries [59]. IDS enables its member organizations to enshrine the terms and conditions of their data-sharing agreements into executable commitments. These agreements are implemented and enacted by an intermediary *actor* thereby minimizing such risks and uncertainties.

IDS constitutes several modules that offer many features to its users [60]. IDS comprises a Connector module that offers pre-defined data templates with mappings between heterogeneous data schemas. These templates can be used for meaningfully interconnecting disparate systems. If existing templates are unavailable for certain systems (e.g. legacy or proprietary) then users can develop custom templates by following the IDS blueprint for building templates. Such data templates can be shared for reuse because they are compatible with the IDS standard and specification.



(i) i* SR diagram showing strategic goals of the two competing actors and a mediating actor



(ii) Game Tree showing payoffs from possible moves by BPC followed by GPC moves

Figure 6. To-Be scenario

IDS provides a Catalog functionality that allows users to list their data catalog. A catalog serves as an index that can be searched or browsed to identify potential sources of data that are

needed by users. This use case positions IDS as a marketplace wherein buyers and sellers of data can transact with each other in a trusted environment. Providers of data can advertise datasets that they are willing to transfer along with relevant terms and conditions. Consumers of datasets can find the datasets they need and then bargain and negotiate with prospective suppliers on the platform. The data catalog is a key component of this marketplace.

IDS includes a Logging system that is necessary for tracking the sharing of data between *actors*. Details about content and scope of the datasets that are accessed as well as volume and variety of data that are transferred is recorded. Monitoring of data sharing is necessary for ensuring that *actors* only obtain data they are authorized to access. Data are also encoded at the source with metadata to define their terms of use and specify their permitted use cases. Tracking the application of transferred data is needed to verify that data are only utilized for purposes that are agreed to by the relevant *actors*.

IDS consists of a Reporting system that is useful for generating data reports to analyze compliance of the *actors* with their data-sharing commitments as well as obtain insights related to data transfers. Users can analyze metrics at the operational level, key performance indicators (KPIs) at the tactical level, and critical success factors (CSFs) at the strategic level. IDS users can generate data reports to perform historical analysis. They can also use the raw data logged by the Reporting system to train predictive or prescriptive models.

The *payoffs* associated with the To-Be scenario in the Game Tree reflect higher values than their corresponding options in the As-Is scenario due to the benefits and advantages afforded by IDS to BPC and GPC. Following the process described in Figure 1 shows that multiple win-win strategies can be created in an industrial collaboration scenario where none existed originally. A comparison of Figure 3 and Figure 4 with Figure 5 and Figure 6 highlights a primary benefit of using this approach to co-develop i^* SR diagrams with Game Trees.

In Figure 4 and Figure 6, the Game Trees are structurally similar but have different *payoffs* and, in the i^* SR diagrams, the internal intentional structure of BPC and GPC is identical except for certain *contribution links*. Figure 3 and Figure 5 are crucial for understanding the reasons for these differences. The goal models in Figure 3 and Figure 5 explain the reasons for the differences in the *payoffs* on the Game Trees and the changes in the *contribution links* within the i^* SR diagrams.

6 Related Work

This article contributes to the body of knowledge pertaining to intentional modeling of strategic competition. Majority of the research on competition modeling has focused on game-theoretic approaches [4]. Such approaches encode the intentionality of the *players* within the *payoffs* thereby eliding their goal structures. Recent research in the enterprise modeling literature has focused on the intentionality of actors engaged in strategic competition. [4], [61] include detailed reviews of competition research from scholarly literature in Strategic Management and Economics domains. This knowledge is used to design requirements for enterprise modeling of strategic competition that are presented in [4], [61]. As discussed in Section 1 and Section 2, the intentional modeling approach that is applied in this article was introduced in [22] and refined in [5] and [6].

In [5] a basic example of cake-cutting is presented to demonstrate the application of this process. That example of cake-cutting is drawn from game theory and is used to demonstrate the co-design and co-evolution of i^* SR diagrams and their corresponding Game Trees. That example shows the introduction of a new alternative in an ultimatum game between two *players* to generate a new win-win strategy when originally none existed. That pathway to win-win is further illustrated with a case of competition between software ecosystems of Apple and Adobe. Modeling of complementarity, which is a motivator of competition, and relevant in knowledge-

sharing scenarios, is discussed in [62]. More broadly, this research article also contributes to the scholarly literature on enterprise modeling of business strategy.

Researchers of conceptual modeling have developed modeling techniques that incorporate concepts from strategic management [63]–[67]. Giannoulis et al. compare various enterprise modeling approaches for representing business strategy concepts [63]. The business strategy concepts covered in [63] do not include the notions of win-win strategies or positive-sum games. López & Franch [64] propose a framework for developing Business Strategy Models (BSM) of Open Source Software (OSS) organizations using i^* . The BSM framework [64] focuses solely on OSS organizations and its application is not demonstrated in the context of other business settings. Bleistein et al. [65] offer an approach for developing conceptual models of strategies for e-business systems. An explicit demonstration of this approach [65] in terms of its application to non e-business system scenarios is not offered.

Giannoulis et al. [66] posit a meta-model to formalize the concepts related to Strategy Maps (SM). SMs are based on the Balanced Scorecard (BSC) approach that focuses on specific aspects of an organization (Learning and Growth, Internal, Financial, Customer). SMs and BSCs focus on the creation and appropriation of value by an organization rather than the development and realization of win-win strategies by multiple organizations in an ecosystem. Osterwalder et al. [67] elucidate the Business Model Canvas (BMC) approach which encompasses nine building blocks of an organization's business model. However, while business models and business strategies are interrelated – they are conceptually distinct entities. Since the BMC approach mostly focuses on the internal aspects of an organization it does not cover business strategies that manifest at the external interfaces of that organization.

Conceptual modeling researchers have also developed modeling techniques that incorporate concepts from entrepreneurship [68], [69], [70]. Pant et al. [68], propose a framework for representing and reasoning about pivoting by startups and large enterprises. Pivoting is a strategic endeavor that requires an organization to make and undertake significant changes to its strategy and business model. We [69] propose a modeling approach for expressing and evaluating a specific type of pivot (i.e. Larger Goal pivot). In this type of pivot an organization attempts to generate new lower-level options for achieving a higher-level goal. Such a pivot is necessary when the available lower-level options are inadequate for satisfying a higher-level goal. We [70] also utilize conceptual modeling to articulate and analyze a revenue model pivot. While some pivots are motivated by the pursuit of win-win strategies – others result from tactical or operational factors such as internal restructuring or reorganization. This shows that while pivoting is related to the pursuit of win-win strategies it is a different conceptual entity.

7 Conclusions and Future Work

We utilized a strategic modeling approach to systematically search for win-win strategies and generate new alternatives for organizations under cooperation. This integrative approach incrementally and iteratively elaborated and refined the i^* SR diagram and its corresponding Game Tree. No win-win strategies were detected in the As-Is scenario due to threats related to knowledge leakage and knowledge blocking. However, in the To-Be scenario, multiple win-win strategies were generated by applying this strategic modeling approach to the As-Is scenario. New *softgoals* and *tasks* were added that obviated the threats from knowledge leakage and knowledge blocking. These *softgoals* and *tasks* could be satisfied by the *actors* by themselves (e.g. by building a system that meets necessary requirements) or with the help of another *actor* (e.g. by subscribing to a service that meets necessary requirements). In this article we depicted the latter option with reference to IDS serving an intermediary *actor*.

This strategic modeling approach incorporates three practical and reasonable assumptions to ensure its usefulness in real-world applications [22]. However, the efficacy and viability of these assumptions needs to be tested via empirical investigation. Our future work will comprise

achievement of three objectives that must be satisfied to encourage mainstream adoption of these models by industry professionals.

Firstly, these models may need to be simplified to gain broader acceptance by practitioners. This would be done by developing collaboration patterns that represent common behaviors in the real world (e.g. collaborating to avoid common threat). Secondly, these models may need to support more sophisticated and nuanced methods for calculating *payoffs*. Game Theorists have proposed many methods for calculating *payoffs* under different circumstances and these methods could be supported by these models. Thirdly, these models may need to be commingled with existing processes that are used by organizations to manage cooperative relationships. For instance, organizations use contracts and legal agreements to set the terms and conditions of such relationships. These models could be used to support the contract negotiation and agreement formation processes. Fourthly, the goal models presented in Figures 4 and 6 depict identical goal hierarchies within both actors (albeit with different softgoal priorities). This is done to show the impact of dissimilar softgoal priorities on the calculation of payoffs. In future work, we plan to depict the calculation of payoffs for different actors resulting from dissimilar goal hierarchies within actors. These areas of future work shall increase the value and utility of these models in the industry.

In this article, we adopted original *i** [8] instead of *iStar* 2.0 [71] to take advantage of the separation between *means-ends* (OR) and *task-decomposition* (AND) links. In *i** 1.0, *goals* (means) are related to *tasks* (ends) with *means-ends* (OR) links while parent *tasks* are related to their child elements (i.e. *task* with *sub-task*, *sub-goal*, *sub-softgoal*, *resource*) with *task-decomposition* (AND) links. Our future work also involves the adaptation of the metamodel and methodology presented in Section 3 to comport with the semantics of *iStar* 2.0 core [71] because *iStar* 2.0 core is designed to provide a simpler and more learnable experience to modelers.

References

- [1] A. M. Brandenburger and B. J. Nalebuff, "The right game: Use game theory to shape strategy," *Harvard Business Review*, vol. 73, no. 4, pp. 57–71, 1995. Available: [https://doi.org/10.1016/0024-6301\(95\)90326-7](https://doi.org/10.1016/0024-6301(95)90326-7)
- [2] S. Castaldo and G. B. Dagnino, "Trust and cooperation: the strategic role of trust in interfirm cooperative dynamics," Dagnino, G.B., Rocco, E. (Eds.), *Cooperation Strategy: Theory, Experiments and Cases*. Routledge, New York, pp. 74–100, 2009. Available: <https://doi.org/10.4324/9780203874301>
- [3] D. R. Gnyawali and B. Park, "Co-opetition and technological innovation in small and medium-sized enterprises: A multilevel conceptual model," *Journal of Small Business Management*, vol. 47, no. 3, pp.308–330, 2009. Available: <https://doi.org/10.1111/j.1540-627X.2009.00273.x>
- [4] V. Pant and E Yu, "Modeling Simultaneous Cooperation and Competition Among Enterprises," *Business & Information Systems Engineering*, vol. 60, no. 1, pp. 39–54, 2018. Available: <https://doi.org/10.1007/s12599-017-0514-0>
- [5] V. Pant and E Yu, "Generating Win-Win Strategies for Software Businesses under Cooperation: A Strategic Modeling Approach," In: *9th International Conference on Software Business (ICSO) 2018*, Springer, pp. 90–107, 2018. Available: https://doi.org/10.1007/978-3-030-04840-2_7
- [6] V. Pant and E Yu, "Getting to Win-Win in Industrial Collaboration under Cooperation: A Strategic Modeling Approach," In: *17th International Conference on Perspectives in Business Informatics Research (BIR 2018)*, pp. 47–66, 2018. Available: https://doi.org/10.1007/978-3-319-99951-7_4
- [7] A. M. Brandenburger and B. J. Nalebuff, *Co-opetition*. New York: Doubleday (1996).
- [8] A. K. Dixit and B. J. Nalebuff, *The Art of Strategy: A Game Theorist's Guide to Success in Business & Life*, WW Norton & Company (2008).
- [9] D. Baglieri, D. Carfi, and G. B. Dagnino, "Asymmetric R&D Alliances in the Biopharmaceutical Industry: A Multi-Stage Cooperative Approach," *International Studies of Management & Organization*, vol.46, no. 2–3, pp. 179–201, 2016. Available: <https://doi.org/10.1080/00208825.2016.1112154>
- [10] M. Lowman, P. Trott, A. Hoecht, and Z. Sellam, "Innovation risks of outsourcing in pharmaceutical new product development," *Technovation*, vol.32, no.2, pp. 99–109, 2012. Available: <https://doi.org/10.1016/j.technovation.2011.11.004>

- [11] L. Diestre and N. Rajagopalan, "Are all 'sharks' dangerous? new biotechnology ventures and partner selection in R&D alliances," *Strategic Management Journal*, vol. 33, no. 10, pp. 1115–1134, 2012. Available: <https://doi.org/10.1002/smj.1978>
- [12] X. Jiang, M. Li, S. Gao, Y. Bao, and F. Jiang, "Managing knowledge leakage in strategic alliances: The effects of trust and formal contracts," *Industrial Marketing Management*, vol. 42, no. 6, pp. 983–991, 2013. Available: <https://doi.org/10.1016/j.indmarman.2013.03.013>
- [13] B. A. Heiman and J. A. Nickerson, "Empirical evidence regarding the tension between knowledge sharing and knowledge expropriation in collaborations," *Managerial and Decision Economics*, vol. 25, no. 6–7, pp. 401–420, 2004. Available: <https://doi.org/10.1002/mde.1198>
- [14] P. Ritala, H. Olander, S. Michailova, and K. Husted, "Knowledge sharing, knowledge leaking and relative innovation performance: An empirical study," *Technovation*, vol. 35, pp. 22–31, 2015. Available: <https://doi.org/10.1016/j.technovation.2014.07.011>
- [15] P. Kale, H. Singh, and H. Perlmutter, "Learning and protection of proprietary assets in strategic alliances: Building relational capital," *Strategic Management Journal*, vol. 21, no. 3, pp. 217–237, 2000. Available: [https://doi.org/10.1002/\(SICI\)1097-0266\(200003\)21:3<217::AID-SMJ95>3.0.CO;2-Y](https://doi.org/10.1002/(SICI)1097-0266(200003)21:3<217::AID-SMJ95>3.0.CO;2-Y)
- [16] T. Khanna, R. Gulati, and N. Nohria, "The dynamics of learning alliances: Competition, cooperation, and relative scope," *Strategic Management Journal*, vol. 19, no. 3, pp. 193–210, 1998. Available: [https://doi.org/10.1002/\(SICI\)1097-0266\(199803\)19:3<193::AID-SMJ949>3.0.CO;2-C](https://doi.org/10.1002/(SICI)1097-0266(199803)19:3<193::AID-SMJ949>3.0.CO;2-C)
- [17] E. G. Carayannis, J. Alexander, and A. Ioannidis, "Leveraging knowledge, learning, and innovation in forming strategic government–university–industry (GUI) R&D partnerships in the US, Germany, and France," *Technovation*, vol. 20, no. 9, pp. 477–488, 2000. Available: [https://doi.org/10.1016/S0166-4972\(99\)00162-5](https://doi.org/10.1016/S0166-4972(99)00162-5)
- [18] N. Petts, "Building growth on core competences — a practical approach," *Long Range Planning*, vol. 30, no. 4, pp. 551–561, 1997. Available: [https://doi.org/10.1016/S0024-6301\(97\)00034-4](https://doi.org/10.1016/S0024-6301(97)00034-4)
- [19] A. Jashapara, "The competitive learning organization: a quest for the Holy Grail," *Management Decision*, vol. 31, no. 8, 1993. Available: <https://doi.org/10.1108/00251749310047160>
- [20] A. Jashapara, "Cognition, culture and competition: an empirical test of the learning organization," *The Learning Organization*, vol. 10, no. 1, pp. 31–50, 2003. Available: <https://doi.org/10.1108/09696470310457487>
- [21] M. Manhart and S. Thalmann, "Protecting organizational knowledge: a structured literature review," *Journal of Knowledge Management*, vol. 19, no. 2, pp. 190–211, 2015. Available: <https://doi.org/10.1108/JKM-05-2014-0198>
- [22] V. Pant and E. Yu, "Understanding strategic moves and reciprocity on Software Ecosystems: A strategic modeling approach," *Proceedings of the 9th International Workshop on Software Ecosystems (IWSECO 2017)*, 2017.
- [23] E. Yu, P. Giorgini, N. Maiden, and J. Mylopoulos, *Social Modeling for Requirements Engineering*. MIT Press, 2011. Available: <https://doi.org/10.7551/mitpress/7549.001.0001>
- [24] D. Gross and E. Yu, "From non-functional requirements to design through patterns," *Requirements Engineering*, vol. 6, no. 1, pp. 18–36, 2001. Available: <https://doi.org/10.1007/s007660170013>
- [25] J. Horkoff and E. Yu, "Comparison and evaluation of goal-oriented satisfaction analysis techniques," *Requirements Engineering*, vol. 18, no. 3, pp. 199–222, 2013. Available: <https://doi.org/10.1007/s00766-011-0143-y>
- [26] J. Horkoff and E. Yu, "Analyzing goal models: different approaches and how to choose among them," *Proceedings of the 2011 ACM Symposium on Applied Computing*, pp. 675–682, 2011. Available: <https://doi.org/10.1145/1982185.1982334>
- [27] S. Cai, M. Goh, R. de Souza, and G. Li, "Knowledge sharing in collaborative supply chains: twin effects of trust and power," *International Journal of Production Research*, vol. 51, no. 7, pp. 2060–2076, 2013. Available: <https://doi.org/10.1080/00207543.2012.701780>
- [28] S. Durst and I. Runar Edvardsson, "Knowledge management in SMEs: a literature review," *Journal of Knowledge Management*, vol. 16, no. 6, pp. 879–903, 2012. Available: <https://doi.org/10.1108/13673271211276173>
- [29] C. Loebecke and P. C. Van Fenema, "Interorganizational knowledge sharing during coopetition," *Proceedings of the European Conference on Information Systems*, pp. 1632–1639, 1998.
- [30] C. Loebecke, P. C. Van Fenema, and P. Powell, "Co-opetition and knowledge transfer," *ACM SIGMIS Database: the DATABASE for Advances in Information Systems*, vol. 30, no. 2, pp. 14–25, 1999. Available: <https://doi.org/10.1145/383371.383373>
- [31] S. Ghobadi and J. D'Ambra, "Coopetitive Knowledge Sharing: An Analytical Review of Literature," *Electronic Journal of Knowledge Management*, vol. 9, no. 4, 2011.

- [32] B. Renzl, "Trust in management and knowledge sharing: The mediating effects of fear and knowledge documentation," *Omega*, vol. 36, no. 2, pp. 206–220, 2008. Available: <https://doi.org/10.1016/j.omega.2006.06.005>
- [33] S. Yeşil, A. Koska, and T. Büyükbese, "Knowledge sharing process, innovation capability and innovation performance: an empirical study," *Procedia – Social and Behavioral Sciences*, vol. 75, pp. 217–225, 2013. Available: <https://doi.org/10.1016/j.sbspro.2013.04.025>
- [34] M. Levy, C. Loebecke, and P. Powell, "SMEs, Coopetition and Knowledge Sharing: The IS Role," *Proceedings of the European Conference on Information Systems*, 2001.
- [35] P. Van Baalen, J. Bloemhof-Ruwaard, and E. Van Heck, "Knowledge Sharing in an Emerging Network of Practice: The Role of a Knowledge Portal," *European Management Journal*, vol. 23, no. 3, pp. 300–314, 2005. Available: <https://doi.org/10.1016/j.emj.2005.04.008>
- [36] L. Cricelli and M. Grimaldi, "Knowledge-based inter-organizational collaborations," *Journal of Knowledge Management*, vol. 14, no. 3, pp. 348–358, 2010. Available: <https://doi.org/10.1108/13673271011050094>
- [37] H. Ho and S. Ganesan, "Does knowledge base compatibility help or hurt knowledge sharing between suppliers in coopetition? The role of customer participation," *Journal of Marketing*, vol. 77, no. 6, pp. 91–107, 2013. Available: <https://doi.org/10.1509/jm.11.0570>
- [38] M. Du Plessis, "The role of knowledge management in innovation," *Journal of Knowledge Management*, vol. 11, no. 4, pp. 20–29, 2007. Available: <https://doi.org/10.1108/13673270710762684>
- [39] M. Bogers, "The open innovation paradox: knowledge sharing and protection in R&D collaborations," *European Journal of Innovation Management*, vol. 14, no. 1, pp. 93–117, 2011. Available: <https://doi.org/10.1108/14601061111104715>
- [40] N. K. Leung, S. K. Lau, and N. Tsang, "An Ontology-Based Collaborative Interorganizational Knowledge Management Network (CIK-NET)," *Proceedings of the 16th Pacific Asia Conference on Information Systems*, 2012.
- [41] G. Mentzas, K. Kafentzis, and P. Georgolios, "Knowledge services on the semantic web," *Communications of the ACM*, vol. 50, no. 10, 2007. Available: <https://doi.org/10.1145/1290958.1290962>
- [42] T. S. Teo and A. Bhattacharjee, "Knowledge transfer and utilization in IT outsourcing partnerships: A preliminary model of antecedents and outcomes," *Information & Management*, vol. 51, no. 2, pp. 177–186, 2014. Available: <https://doi.org/10.1016/j.im.2013.12.001>
- [43] S. G. Choi and J. Johanson, "Knowledge translation through expatriates in international knowledge transfer," *International Business Review*, vol. 21, no. 6, pp. 1148–1157, 2012. Available: <https://doi.org/10.1016/j.ibusrev.2012.01.002>
- [44] D. von der Oelsnitz and M. Lorenz, "Interorganizational Learning between Convergence and Cospecialization – A Knowledge-Based Typology of Strategic Alliances," *Kompetenz, Interdisziplinarität und Komplexität in der Betriebswirtschaftslehre*, Springer, pp. 243–258, 2013. Available: https://doi.org/10.1007/978-3-658-03462-7_18
- [45] H. J. Ye and A. Kankanhalli, "Leveraging Structural Holes for Innovation: The Moderating Effects Of IT-Enabled Absorptive Capacity," *Proceedings of the 15th Pacific Asia Conference on Information Systems*, 2011.
- [46] L. Hafström, M. Magnusson, and A. Max. "An exploration of Swedish companies' offshoring of R&D activities to China," *Proceedings of the 2010 IEEE International Conference on Management of Innovation & Technology*, 2010. Available: <https://doi.org/10.1109/ICMIT.2010.5492707>
- [47] V. K. Slettlı and K. Grønhaug, "On the two perspectives on coordination of knowledge flows: knowledge-enabling and control," *Beta: Scandinavian Journal of Business Research*, vol. 30, no. 2, pp. 158–173, 2016. Available: <https://doi.org/10.18261/issn.1504-3134-2016-02-04>
- [48] G. Premkumar, K. Ramamurthy, and C. S. Saunders, "Information processing view of organizations: an exploratory examination of fit in the context of interorganizational relationships," *Journal of Management Information Systems*, vol. 22, no. 1, pp. 257–294, 2005. Available: <https://doi.org/10.1080/07421222.2003.11045841>
- [49] S. M. Yang, S. C. Fang, S. R. Fang, and C. H. Chou, "Knowledge exchange and knowledge protection in interorganizational learning: The ambidexterity perspective," *Industrial Marketing Management*, vol. 43, no. 2, pp. 346–358, 2014. Available: <https://doi.org/10.1016/j.indmarman.2013.11.007>
- [50] M. Li, X. Zheng, and G. Zhuang, "Information technology-enabled interactions, mutual monitoring, and supplier-buyer cooperation: a network perspective," *Journal of Business Research*, vol. 78, pp. 268–276, 2017. Available: <https://doi.org/10.1016/j.jbusres.2016.12.022>
- [51] V. Albino, A. C. Garavelli, and G. Schiuma, "Knowledge transfer and inter-firm relationships in industrial districts: the role of the leader firm," *Technovation*, vol. 19, no. 1, pp. 53–63, 1998. Available: [https://doi.org/10.1016/S0166-4972\(98\)00078-9](https://doi.org/10.1016/S0166-4972(98)00078-9)

- [52] A. Cleven and F. Wortmann, “Uncovering four strategies to approach master data management,” *Proceedings of the 43rd Hawaii International Conference on System Sciences*, pp. 1–10, 2010. Available: <https://doi.org/10.1109/HICSS.2010.488>
- [53] S. B. Modi and V. A. Mabert, “Supplier development: Improving supplier performance through knowledge transfer,” *Journal of Operations Management*, vol. 25, no. 1, pp. 42–64, 2007. Available: <https://doi.org/10.1016/j.jom.2006.02.001>
- [54] J. H. Dyer and N. W. Hatch, “Relation-specific capabilities and barriers to knowledge transfers: creating advantage through network relationships,” *Strategic Management Journal*, vol. 27, no. 8, pp. 701–719, 2006. Available: <https://doi.org/10.1002/smj.543>
- [55] M. Jarke, “Data Spaces: Combining Goal-Driven and Data-Driven Approaches in Community Decision and Negotiation Support,” *Proceedings of the International Conference on Group Decision and Negotiation*, Springer, Lecture Notes in Business Information Processing, vol. 293, pp. 3–14, 2017. Available: https://doi.org/10.1007/978-3-319-63546-0_1
- [56] C. Quix, A. Chakrabarti, S. Kleff, and J. Pullmann, “Business Process Modelling for a Data Exchange Platform,” *Proceedings of the CAiSE’17 Forum, at the 29th International Conference on Advanced Information Systems Engineering (CAiSE 2017)*, pp. 153–160, 2017.
- [57] M. Jarke and C. Quix, “On warehouses, lakes, and spaces: the changing role of conceptual modeling for data integration,” *Conceptual Modeling Perspectives*, Springer, pp. 231–245, 2017. Available: https://doi.org/10.1007/978-3-319-67271-7_16
- [58] Y. Wu and W. Zhu, “An integrated theoretical model for determinants of knowledge sharing behaviours,” *Kybernetes*, vol. 41, no. 10, pp. 1462–1482, 2012. Available: <https://doi.org/10.1108/03684921211276675>
- [59] R. Aljafari and S. Sarnikar, “A framework for assessing knowledge sharing risks in interorganizational networks,” *AMCIS 2009 Proceedings*, 572, 2009.
- [60] B. Otto, S. Auer, J. Cirullies, J. Jürjens, N. Menz, J. Schon, and S. Wenzel, *Industrial Data Space: Digital Sovereignty Over Data*. White paper. München: Fraunhofer-Gesellschaft, 2016.
- [61] V. Pant and E. Yu, “Coopetition with frenemies: towards modeling of simultaneous cooperation and competition among enterprises,” *The Practice of Enterprise Modeling*. PoEM 2016. Lecture Notes in Business Information Processing, vol. 267, Springer, pp. 164–178, 2016. Available: https://doi.org/10.1007/978-3-319-48393-1_12
- [62] V. Pant and E. Yu, “Modeling Strategic Complementarity and Synergistic Value Creation in Coopetitive Relationships,” *Software Business*. ICSOB 2017. Lecture Notes in Business Information Processing, vol. 304, Springer, pp. 82–98, 2017. Available: https://doi.org/10.1007/978-3-319-69191-6_6
- [63] C. Giannoulis, I. Zikra, M. Bergholtz, J. Zdravkovic, J. Stirna, and P. Johannesson, “A comparative analysis of enterprise modeling approaches for modeling business strategy,” *Short Paper Proceedings of the 6th IFIP WG 8.1 Working Conference on the Practice of Enterprise Modeling (PoEM 2013)*, CEUR Workshop Proceedings, vol.1023, pp. 193–204, 2013.
- [64] C. L. López and X. G. Franch, “Applying business strategy models in organizations,” *Proceedings of the 7th International i* Workshop*, CEUR Workshop Proceedings, vol. 1157, 2014.
- [65] S. J. Bleistein, K. Cox, and J. Verner, “Modeling business strategy in e-business systems requirements engineering,” *Conceptual Modeling for Advanced Application Domains*. ER 2004. Lecture Notes in Computer Science, vol. 3289, Springer, pp. 617–628, 2004. Available: https://doi.org/10.1007/978-3-540-30466-1_57
- [66] C. Giannoulis, M. Petit, and J. Zdravkovic, “Towards a unified business strategy language: A meta-model of strategy maps,” *The Practice of Enterprise Modeling*. PoEM 2010. Lecture Notes in Business Information Processing, vol. 68, Springer, pp. 205–216, 2010. Available: https://doi.org/10.1007/978-3-642-16782-9_15
- [67] A. Osterwalder, Y. Pigneur, and C. L. Tucci, “Clarifying business models: Origins, present, and future of the concept,” *Communications of the Association for Information Systems*, vol. 16, no. 1, 2005. Available: <https://doi.org/10.17705/1CAIS.01601>
- [68] V. Pant, E. Yu, and A. Tai, “Towards Reasoning About Pivoting in Startups and Large Enterprises with i*,” *The Practice of Enterprise Modeling*. LNBIP, vol. 305, Springer, pp. 203–220, 2017. Available: https://doi.org/10.1007/978-3-319-70241-4_14
- [69] V. Pant and E. Yu, “Conceptual Modeling to Support the “Larger Goal” Pivot – An Example from Netflix,” *The Practice of Enterprise Modeling*. PoEM 2018. Lecture Notes in Business Information Processing, vol. 335, Springer, pp. 394–403, 2018. Available: https://doi.org/10.1007/978-3-030-02302-7_26
- [70] V. Pant and E. Yu, “Conceptual Modeling to Support Pivoting – An Example from Twitter,” *Advances in Conceptual Modeling*. ER 2018. Lecture Notes in Computer Science, vol. 11158, Springer, pp. 260–270, 2018. Available: https://doi.org/10.1007/978-3-030-01391-2_31
- [71] F. Dalpiaz, X. Franch, and J. Horkoff, “iStar 2.0 language guide,” 2016. Available: <https://arxiv.org/abs/1605.07767>